



Eye and Face protection



ART.BA.1015369
EYEWEAR "A 800"
CLEAR LENS ANTI-FOG



Honeywell

Polycarbonate lens, 9 points of curvature (they offer a visual field at 180 ° without distortion). The temples integrate with the side guards. Soft nose pad and non-slip temples lining. Ultralight design only 22g. Employment: services, general and mechanical industry. UV protection.

Lens marking: 2C-1.2 B-D 1F. EN 166/170/172. Packing: 1/10.

ART.BA.1015367
EYEWEAR "A 800"
GREY LENS TSR ANTI-FOG



Honeywell

Polycarbonate lens, 9 bending points (offer 180 ° field of view without distortion). Astines with integrated side guards. Soft nose pad and non-slip temples lining. Ultralight design only 22g. Employment: services, general and mechanical industry. UV protection.

Lens Marking: 5-2.5 B-D 1F. EN 166/170/172. Packing: 1/10.

ART.BA.1928860 EYEWEAR "SVP200" CLEAR LENS
DIELECTRIC, SCRATCHPROOF



Honeywell

Elegant glasses with a thin and very light profile offer maximum comfort throughout the day. Ideal in all industrial sectors. Envelope lenses in polycarbonate, base 10 and dielectric. The ends of the temples are flexible and comfortable, with a shaped nose piece. EU 1907/2006 (REACH). HC 2C-1.2 1F

Lens marking: EN 166. Packing: 1/10

ART.BA.1928862 EYEWEAR "SVP200" GREY LENS
DIELECTRIC, SCRATCHPROOF



Honeywell

Elegant grey lens glasses with a slim and very light profile offer maximum comfort throughout the day. Ideal in all industrial sectors. Envelope lenses in polycarbonate, base 10 and dielectric. The ends of the temples are flexible and comfortable, with a shaped nose piece. EU 1907/2006 (REACH). HC. Lens marking 5-2.5 1F.

EN 166. Packing: 1/10.

ART.BA.1032175
EYEWEAR "MILLENNIA® 2G" CLEAR LENS



Honeywell

Polycarbonate wraparound lens; with anti-scratch treatment. Dielectric design, soft nose pads, wide field of view. Cover the eyes and the parts above the cheekbones and eyebrows for protection against moving particles; impact resistance test. Suitable for protection against mechanical risk, eg: grinding, turning, milling, woodworking, and wherever there is a risk of shocks or splinter projection. Complete with adjustable lanyard supplied. Lens marking: 2C-1.2 HON 1 FT K. EN 166 FT CE.

Packing: 1/10.

ART.BA.1032176
EYEWEAR "MILLENNIA® 2G" GREY LENS



Honeywell

Polycarbonate wraparound lens; with anti-scratch hardening treatment for mechanical protection. Dielectric design, soft nose pads, wide field of view. Cover the eyes and the parts above the cheekbones and eyebrows for protection against moving particles; impact resistance test. Suitable for protection: eg: grinding, turning, milling, woodworking, and wherever there is a risk of shocks or splinter projection. Complete with adjustable lanyard supplied. Lens Marking: 2C-2.5/5-2.5 HON 1 FT K. EN 166 FT CE/170/172.

Packing: 1/10.

Eye and Face protection

ART.BA.1032181 EYEWEAR "MILLENNIA® 2G"
YELLOW LENS FOG-BAN

Honeywell



Soft polycarbonate lens offers great adaptability, wraparound upper arch, to better adhere to the face, ultralight design only 27g, non-slip elastomer nosepiece, padded temples. Sporty design. Employment: services, general and mechanical industry. UV protection. Complete with adjustable lanyard supplied. Lens marking **2C-1.2 HON 1 FT K N. EN 166/170/172.**

Packing: 1/10.

ART.GS.03WP
EYEWEAR VISITOR SAFETY TYPE



Printed with a frontal protection, they have protections and holes for ventilation. Anti-fog polycarbonate lenses. They can be used as glasses and also on eyeglasses. **CE EN 166 1F AS.**

Packing: 1/12.

ART.UV.566
EYEWEAR FOR WELDING



Black frame, 5 DIN green lenses in scratch-resistant polycarbonate with side protections. Protects against impacts, UV rays, infrared rays (IR) and glare generated by welding processes.

Applications: gas welding, oxygen cutting

Lens filter: EN 169 - EN 175.

Packing: 1/10

ART.BA.1011380
EYEWEAR CLEANING DISPENSER



Glasses cleaning dispenser, suitable for cleaning the lenses, without damaging them. No alcohol No silicone. Complete with 500 ml spray and 1500 wipes. It can be hung on the wall.

Packing: 1/10.

Honeywell

ART.BA.1726602
DETERGENT SAFETY BOX WITHOUT ALCOHOL



NEW

Box of 100 alcohol-free wipes. Pack individually. Excellent for disinfect glasses and facial masks.

Packing: 1/10.

Honeywell

ART.BA.1011410 INSERT "RX" FOR EYEWEAR XC
COMBINABLE CORRECTIVE LENS



NEW

Thanks to these new Rx inserts, to be combined with the XC series, for those who need corrective lenses. They adhere securely to eyeglass lenses. Designed to accommodate various types of corrective lenses in case of serious risks or frequent mechanical splashes, the inner insert of the glasses. **CE: EC1144.**

Packing: 1/10.

Honeywell

ART.BA.1010950
EYEWEAR "XC™" CLEAR LENS

Honeywell



Polycarbonate lens wraparound with 9 points of curvature; with anti-scratch treatment. Adjustable temples. Soft hake. Arcade equipped with a soft seal to ensure perfect adherence. Ideal for protection against mechanical risk, for example: grinding, turning, milling, woodworking, etc. UV protection.
Lens Marking: 2C-1.2 B-D 1FT N. EN 166.

Packing: 1/10.

ART.BA.1011026
EYEWEAR "XC™" GREY LENS



Honeywell

Wraparound lens 9 of curvature points; with anti-scratch treatment. For protection against moving particles; impact resistance test. Suitable for protection against mechanical risk as: grinding, turning, milling, woodworking, and wherever there is a risk of shocks or splinter projection.

Lens Marking: 5-2.5 B-D 1FT. EN 166/172/170.

Packing: 1/10.

ART.BA.1012877 EYEWEAR "XC™" POLYCARBONATE LENS GREEN IR 1.7 FOR WELDING



Honeywell

Wrap-around lens with 9 points of curvature, with anti-scratch treatment. For protection against moving particles; impact resistance test. To be used as a support during welding and brazing work. Suitable for welding assistance work, not suitable for welding and oxy-fuel work. **Lens marking 1.7 B - D 1 FT. EN 166/169/175.**

Packing: 1/10.

ART.BA.1012901 EYEWEAR "XC" POLYCARBONATE LENS GREEN IR 4.0 FOR WELDING



Honeywell

Polycarbonate lens wrapped at 9 bending points; C / antigraphic treatment. Adjustable brackets, bend and extensible. Suitable for: Gas welding: Acetilene flow <70 liters / hour, Oxygen flow <900 liters / hour, Arc welding: Flow <6 A, Microplasma welding: Flow <6 A. **Lens marking 4 B - D 1 FT. EN 166/169/175**

NORM: EN 166/169/175

Packing : 1/10

ART.BA.1011020 EYEWEAR "XC" LENS POLYCARBONATE GREEN IR 5 FOR WELDING

Honeywell



Polycarbonate lens wrapped at 9 bending points; With anti-scratch treatment. Impact resistance test. Suitable for mechanical protection, eg grinding, turning, milling, woodworking, and wherever there is a risk of shock or splinting. Gas welding: Acetylene, Oxidation, Arch welding, Microplasma welding.

Lens marking: shade 5 HC.

NORM : EN 166,EN 169.

Packing: 1/10.

ART.BA.1028640 EYEWEAR CLEAR LENS SP1000 DOUBLE USE



Honeywell

It offers exceptional protection against impacts, wind, dust and slag. Double treatment of anti-fog lenses inside and anti-scratch on the outside. Soft padding around the lenses. Double use with an earpiece and with elastic.

Lens Marking: 2c-1.2 D B FT KN. EN 166.

Packing: 1/10.

Eye and Face protection

ART.BA.1111001
SUB-ZERO GOGGLE FOR PROTECTION
AGAINST EXTREME ENVIRONMENTS

NEW



Honeywell

The HydroShield treatment guarantees high anti-fog, even after wearing the glasses for a long time and after repeatedly cleaning them. They are also highly scratch-resistant, thus keeping the lens clean and workers safe. Sealing gasket in soft foam along the entire perimeter of the glasses. **EU 1907/2006 (REACH)**.
Lens marking: 2c-1.2 HON 1 FT / BKN 166 349 FT/BCE. EN 166/172/170.
Packing: 1/1.

ART.BA.1017750
EYEWEAR PANORAMIC "DURAMAXX" ELASTIC
BAND - ideal for sanding (anti-scratch lenses)



Honeywell

Superior technical performance, combined with exceptional comfort; perfectly overlapping with prescription glasses. The Dura-streme™ technology, a novelty of Speria which consists of a latest generation anti-scratch and anti-fog treatment. Indirect-lens indirect ventilation. **Marking: 2c-1.2 B-D 1 B T KN 34. EN166**.
Packing: 1/10.



ART.MD.EMER
CORRECTIVE EYEWEAR
MONOFOCAL, BIFOCAL, PROGRESSIVE
CERTIFICATES CE EN 166

Manufactured in Xylex (polycarbonate + polyester): highly impact-resistant material. Privil of silicone. Glasses without metal components. Upper and lateral protection. Equipped with temples and elastic pocket (interchangeable). Polycarbonate lenses, anti-scratch, anti-fog, anti-fog. Melal free, weight gr. 35. Size: unique.
WARRANTY: 2 YEARS.
EN 166.
Packing: 1/1.



ART.MD.ZERE
CORRECTIVE EYEWEAR
MONOFOCAL, BIFOCAL, PROGRESSIVE
CERTIFICATES CE EN 166S

Manufactured in propionate, delayed flammability material. Very modern design that combines comfort, protection and aesthetics. Excellent fit and adherence thanks to their internal silicone inserts and the universal nose bridge. Lateral protection. Polycarbonate lenses WITH INCREASED MECHANICAL RESISTANCE, anti-scratch, anti-fog, anti-fog. Weight gr. 24. **WARRANTY: 2 YEARS.** One size.
EN 166S.
Packing: 1/1.



ART.MD.AGLO
CORRECTIVE EYEWEAR
MONOFOCAL, BIFOCAL, PROGRESSIVE
CERTIFICATES CE EN 166

Metal frame: very light and resistant. Polycarbonate side protectors: high resistance. Temples with flexible pins for greater adaptability and with plastic ends for greater comfort. Hypoallergenic, removable side protection. Available in formats from the tg. S to size XL. Polycarbonate lenses with mechanical resistance, anti-scratch, anti-fog, anti-fog.
Weight gr. 22. **WARRANTY: 2 YEARS.**
EN 166S. Packing: 1/1.

ART. UNI.605010000 PROTECTIVE FACE SHIELDS



Made of anallergic material, front band in anti-sweat sponge, adjustment upper band, cranial circumference by rack, 90 ° tipper by means of clutches, Weight gr. 29, Protective by solid particles and chemical splashes.
(visor separately art.GS.29WP). **EN166. Packing: 1/60.**

ART.BA.1002297 FACE SHIELDS "SUPERVIZOR SB600" harness with adjustable rack



Honeywell

Made of polycarbonate, complete frontal protection, harness in adjustable neck polyamide. The materials resist the attack of numerous solvents, acids and alkalis. Fine protection against molten metals and incandescent solids. (Screen art BA 1002307 in acetate - BA.1002308 for electric arc protection).

Category: 2a. - EN166. Packing: 1/10.

ART. UNI60504000 FACE SHIELDS ARC ELECTRIC



Without metal parts for electric arc protection. Front sweatband in interchangeable sponge, upper band for adjusting the height of the shell, cranial adjustment through rack (from 53 to 61 cm), tilting by 90 ° with clutch (screen Art.UNI.69999000 transparent). **EN EN 166, EN 167, EN 168, EN 170, EN 175.**

Packing: 1/60.

ART.BA.1002341 FACE SHIELDS "Clearways CB20" harness with adjustable rack



Honeywell

Rack adjustment to be combined with a screen, for impact protection or chemical splashes. Low weight and compact dimensions (transparent polycarbonate screen item BA.1002353 to be ordered separately). **CE - EN166. Packing: 1/10.**

ART. BA.1011624 VISOR BIONIC Ideal for grinding



Mask with chin and head protection. Especially long. Panoramic polycarbonate screen of superior quality, wide field of vision. Compatible with respirators and glasses. Tilting and locking mechanism of the screen. Dielectric design. Possibility of combining screen covers and helmet adapter.

Screen marking: 2C-1.2 B-D 1 BT 3 9.

Visor marking: B-D 166 3 BT 5.

Packing: 1/1.

**Replacement visor
Art.BA.101627.**

ART. GS.39WP FACE SHIELDS WITH MESH VISOR



Face shields with mesh visor for protection against moving particles at high speed. Made of PP. (Replacement viewer item GS.49WP).

EN166 3B, EN 1731 F.

Packing: 1/24.

Honeywell