

Hazardous materials storage




Hazardous materials storage



ART. SB.DEPBOMB
STORAGE
FOR 9/12 TANKS

Grid walls with closed bottom. Two hinged doors with latch, designed to lock with a padlock. It is delivered assembled. Steel structure particularly robust, welded and hot-dip galvanized for use in outdoor environments. Fork entries. **Size cm.:** width 113, depth 96, height 197.5.

Packing: 1/1.



ART.C.MOV890
INFORCABLE
FILLING ROLLS

Fixed diameter for 200 liters drums. Load 500 kg. Manual front rotation (handwheel and gearbox with 1:70 ratio). **Dimension cm.:** width 125, depth 100, height 45.

Weight: kg. 90.

Packing: 1/1.



ART. SB.E202
CONTAINER
STORING
FOR 4
TANKS

Container for storing and displacing of drums filled with environment dangerous liquids. Made of watertight steel sheet. Hot galvanized movable grid shelf made steel - Capacity 280 litres. (WITHOUT SUPPORT).

Dimension cm.: width cm. 134, depth 125, height 30 cm.

Packing: 1/1.



ART.SB.E207
CONTAINER
INCLINED TANK

For tanks from lt. 1000 or 6 drums of 200 lt. Grilled in galvanized and varnished tub in eposyric. Prepared for cart handling.

Dimension cm.: width 135, height cm. 62/110, depth cm. 165.

Packing: 1/1.



ART. SB.PE1000
TANK CONTAINER
FOR 1 TANK

Polyethylene collection tank for 1050-litre container.

Dimension cm.: width cm. 135, depth 135, height 97,5 cm. **Capacity:** 1050 lt.

Packing: 1/1.



ART.C.SER440
TANK FOR
OIL-EXHAUST ADR
1.1.3.1 .C

Transport PE tank with electric pump. Counter and gun with automatic stop with 4 m of carbopress tube, 4 meters of electric cable and clamps for connection to the battery. Transportable oil tank produced in linear polyethylene with rotational molding. Procedure that makes the structure compact but at the same time light. The equipment includes: 2-piece aluminum filler cap, double-valve safety cap. Safety faucet transfer unit. Swivel connector inlets for full lifting with forks. Handles for vacuum lifting ..


Size cm.: width cm. 96, depth 124, height 62.2. **Capacity:** 440 lt. Empty weight: 52 kg. **Packing:** 1/1.



ART.MG268 STORAGE CABINET PHYTOSANITARY

Suitable for storage of pesticides, plant health or pollutants for water. Hinged doors, made of cold press-formed sheet. Reinforced pre-assembled structure, epoxy powder coating. 4 adjustable watertight galvanized containment tanks. Natural protected aeration system. Closure with handle rod and key lock. Predisposition for earthing device. Storage capacity per tank 105 Liters with container max. 35 liters.

Compliance with the following laws: DPR 290/01, Direttiva 89/391/CE, Direttiva 91/676/CE, Direttiva 96/61/CE, D.Lgs. N. 81/2008, ISO 3864 Stocking capacity per tray 105 liters, with box max 35 liters. Dimensions cm.: width 102.3, height.200, depth 55.5. Packing: 1/1.



ART.MG271 STORAGE CABINET FOR FLAMMABLE AND OXIDIZING PRODUCTS

Storage cabinet for flammable and oxidising products, with two hinged doors, made of cold press-formed sheet steel, suitable for storing containers for flammable or oxidising liquids. Equipment: 3 adjustable shelves and collection tank (capacity 38 L). Natural ventilation system, rod closure with handle and key lock. Safety signs according to law; provision for earthing device.

Directive 89/391 / CE, Legislative Decree No. 81/2008, ISO 3864. Supplied already assembled. Dimensions cm.: width 102.3, height.200, depth 55.5. Packing: 1/1.



ART.MGBIGBAG BIG BAG STRUCTURE MODULAR

Made of painted steel for outdoor use. Folded with a fiber system set up with structural reinforcements. Modular structure. Nominal weight and degree of finish as per UNI parameters.

Also available in the version with a holding tank.

Dimensions cm.: width 113.0, depth 113.0 height.135, capacity kg. 1000.

to be completed with:
Bag Big Bag UN 90x90x120 art. C.BIGONU.

Packing: 1/1.



ART.MG780 BASKET FOR OIL EXHAUSTED

Patented range of tanks for the waste collection of MOTOR oil exhausted. Made of polyethylene, black, with incorporated safety sump (double tank), with basket drain filters removable round shape, incorporated in the manhole protected by circular lid and space for load and unload motor oil exhausted.

Dimension cm.: diam.100, height.135, capacity lt.500.

Packing: 1/1.



ART.MG295 EXHAUSTED BATTERY CONTAINER

Approved bin for stockage of depleted batteries, according to ADR law. Equipped by a label identifying the batteries which is possible to stock. Superposable. Capacity max. 300 kg., when superposed kg. 1200. (Cover Art. MG295C). Dimension cm.: width 100, depth 70, height 65. Capacity: lt.450.

Packing: 1/1.



ART.SB.TNO CONTAINER FOR HAZARDOUS WASTE

Range of containers for the collection of DANGEROUS WASTE. Composed from a tank equipped with a polyethylene hinged removable lid yellow. The tank body is housed inside a metal structure painted antacid with function of hermetic containment tank (double container) that allows handling and stacking up to three units. A dedicated space allows you compile your CER code contained. Dimension cm.: width 135, depth 117, height 104. Capacity: lt.850. Packing: 1/1.